

Stepper Pipettes – Finnpipette Stepper

The Finnpipette Stepper, a lightweight, easy-to-use repeater pipette, allows rapid repeat dispensing up to 45 times in succession without refilling. The universal Stepper handle is adapted for seven tip sizes*, to cover a dispensing volume range from 10 to 5000 μl . The handle is also available with an eight-channel module.

Five delivery volumes are possible with each tip size. The Stepper is convenient to use, simply attach the appropriate tip size, fill and prime the tip, and use the dial to select the volume.

The ergonomic design of the handle increases operator comfort. For light one-handed operation, the Stepper has a unique grippy finger rest and dispensing lever.

The Finnpipette Stepper works on the positive displacement principle. It is ideally suited for work with corrosive and viscous liquids.

All seven Finntip Stepper sizes are available in sterilized and unsterilized versions. Sterilized tips are individually packaged.

* Adapter required to attach the 25 and 50 ml tips.



Stepper Pipettes – Finnpipette Multistepper

The eight channel Finnpipette Multistepper, designed especially for work with Microtiter microplates, helps to speed up routine laboratory procedures. With a single loading, the Multistepper can deliver 24 x 50 μl = 192 wells, 12 x 100 μl = 96 wells, 8 x 150 μl = 64 wells, 6 x 200 μl = 48 wells or 5 x 250 μl = 40 wells. The eight channels are calibrated to simultaneously

dispense exactly the same amount of liquid.

The Multistepper works on the air displacement principle. It is comfortable to use - simply attach, fill and prime the module and dial in the selected volume. The same universal handle fits both the multichannel module and the seven single channel Finntip Steppers.

- Repeated dispensing without refilling
- Large volume range
- Comfortable to use

Finnpipette Stepper

Cat. no.	Description	Volume
4540 000	Finnpipette Stepper	10-5000 µl

Adapter

Cat. no.	Description	Quantity
9420 300	Adapter	10/box
9420 310	Adapter/sterile	5/box

Finntip Stepper**

Cat. no.	Capacity	Dispensing Volume (µl)	Inaccuracy		Imprecision	
			µl	%	s.d.* µl	CV %*
9404 170	500 µl	50	±0.5	±1.0	0.3	0.6
		10	±0.1	±1.0	0.1	1.0
9404 180	1250 µl	125	±1.0	±0.8	0.6	0.5
		25	±0.2	±0.8	0.2	0.8
9404 190	2500 µl	250	±2.0	±0.8	0.8	0.3
		50	±0.4	±0.8	0.4	0.7
9404 200	5.0 ml	500	±4.0	±0.8	1.0	0.2
		100	±0.8	±0.8	0.5	0.5
9404 210	12.5 ml	1250	±7.5	±0.6	2.5	0.2
		250	±1.5	±0.6	1.0	0.4
9404 220	25 ml	2500	±12.5	±0.5	7.5	0.3
		500	±2.5	±0.5	2.5	0.5
9404 230	50 ml	5000	±25.0	±0.5	15.0	0.3
		1000	±5.0	±0.5	5.0	0.5

For additional information on Finntip Stepper package sizes, see page 34.

* s.d. = Standard Deviation, CV = Coefficient of Variation

** Factory calibration limits.

Finnpipette Multistepper**

Cat. no.	Chan-nels	Capa-city	Disp.vol. (µl)	Incre-ment	Volume	Inaccuracy		Imprecision		Finntip
						µl	%	s.d.*µl	CV %*	
4540 500 ¹⁾	8	1250 µl	50-250	50 µl	250 µl	±5.0	±2.0	5.0	2.0	Multistepper
					50 µl	±2.0	±4.0	2.0	4.0	
2206 590 ²⁾	8	1250 µl	50-250	50 µl	250 µl	±5.0	±2.0	5.0	2.0	Multistepper
					50 µl	±2.0	±4.0	2.0	4.0	

* s.d. = Standard Deviation, CV = Coefficient of Variation ** Factory calibration limits.

1) Handle and module 2) Module only

Finntip Multistepper

Cat. no.	Description	Quantity
9401 300	Finntip Multistepper	400/box
9401 330	Finntip Multistepper	10x96/rack
9401 333	Finntip Multistepper sterile	10x96/rack



Finntip Multistepper tips are suitable for repeat dispensing of:

- Aqueous solutions
- Enzyme samples
- Viscous solutions
- Chemical analyses